



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

ANILINE 99 % EXTRAPURE

PRODUCT CODE : B-3011

CAS No : 62-53-3

FORMULA : $\text{C}_6\text{H}_5\text{NH}_2$

UN No : 1547

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ANILINE 99 % EXTRAPURE



MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : ANILINE 99 % EXTRAPURE
Synonyms : Aminobenzene; Benzenamine; Aminophen
CAS No. : 62-53-3
HS Code : 2921 41 00
Chemical Formula : C₆H₅NH₂
Molecular Weight : 93.13 g/mol
Product Code : B-3011
Brand : Labotiq
1.2 Manufacturer : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com
For information : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
1.3 Application : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 3), H301
 Acute toxicity, Inhalation (Category 3), H331
 Acute toxicity, Dermal (Category 3), H311
 Serious eye damage (Category 1), H318
 Skin sensitisation (Category 1), H317
 Germ cell mutagenicity (Category 2), H341
 Carcinogenicity (Category 2), H351
 Specific target organ toxicity - repeated exposure (Category 1), H372
 Specific target organ toxicity - repeated exposure (Category 1), Blood, H372
 Acute aquatic toxicity (Category 1), H400
 Chronic aquatic toxicity (Category 1), H410

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H301 + H311 + H331
 H317

Toxic if swallowed, in contact with skin or if inhaled
 May cause an allergic skin reaction.

H318
 H341

Causes serious eye damage.
 Suspected of causing genetic defects.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ANILINE 99 % EXTRAPURE



MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

H351	Suspected of causing cancer.
H372	Causes damage to organs (Blood) through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves/ protective clothing.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Rapidly absorbed through skin

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Aminobenzene; Benzenamine; Aminophen
Formula	: C ₆ H ₅ NH ₂ C ₆ H ₇ N
Molecular weight	: 93.13 g/mol
CAS-No.	: 62-53-3
EC-No.	: 200-539-3
Index-No.	: 512-008-00-7

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Aniline CAS-No. 62-53-3 EC-No. 200-539-3 Index-No. 612-008-00-7	Acute Tox. 3; Eye Dam. 1; Skin Sens. 1; Muta. 2; Carc. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H311, H318, H317, H341, H351, H372, H372, H400, H410 Concentration limits: >= 1 %: STOT RE 1, H372; 0.2 - < 1 %: STOT RE 2, H373; M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<=100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
ANILINE 99 % EXTRAPURE

MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

4.1 Description of first aid measures**General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NO_x), Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ANILINE 99 % EXTRAPURE



MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Handle under inert gas. Protect from moisture. Light sensitive.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Application Area	Routes of exposure	Health effect	Value
Worker DMEL, acute	inhalation	Systemic effects	15,4 mg/m ³

Worker DMEL, acute	dermal	Systemic effects	
Worker DMEL, longterm	inhalation	Systemic effects	7,7 mg/m ³
Worker DMEL, longterm	dermal	Systemic effects	

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	0,0012 mg/l
Sea water	0,00012 mg/l
Fresh water sediment	0,153 mg/kg
Sea sediment	0,153 mg/kg
Sewage treatment plant	2 mg/l
Soil	0,033 mg/kg

8.2 Exposure control**Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product

Personal protective equipment**Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber
Minimum layer thickness: 0.11 mm
Break through time: 480 min
Material tested: Dermatrill® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber
Minimum layer thickness: 0.11 mm
Break through time: 480 min
Material tested: Dermatrill® (KCL 740, Size M)

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If the full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ANILINE 99 % EXTRAPURE



MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: liquid
Odour	No data available
Odour Threshold	No data available
pH	8.8 at 36 g/l at 20 °C
Melting point/freezingpoint	Melting point/range: -6 °C - lit.
Initial boiling point and boiling range	184 °C - lit.
Flash point	70 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or	Upper explosion limit: 23 %(V)
explosive limits	Lower explosion limit: 1.3 %(V)
Vapour pressure	No data available
	0.37 mmHg at 20 °C
	0.6 mmHg at 20 °C
Vapour density	3.22 - (Air = 1.0)
Relative density	1.022 g/cm ³ at 25 °C
Water solubility	soluble
Partition coefficient: noctanol/water	log Pow: 0.91
Auto-ignition temperature	No data available
Decomposition temperature	190 °C -
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

9.2 Other safety information

Surface tension	42.12 mN/m at 25 °C
Relative vapour density	3.22 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

Oxidizing agents, peroxi compounds, perchlorates, perchloric acid, Nitric acid, Oxygen, organic nitro compounds, benzene/benzene derivatives, nitrates

Exothermic reaction with: semimetallic halides, Acetic anhydride, acids

Risk of ignition or formation of inflammable gases or vapours with: Fluorine Alkaline earth metals
Alkali metals

10.4 Conditions to avoid

Avoid moisture. Strong heating.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ANILINE 99 % EXTRAPURE



MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 250 mg/kg

Remarks: (RTECS)

LC50 Inhalation - Rat - 4 h - 3,3 mg/l - vapor

Remarks: (Lit.) (Regulation (EC) No 1272/2008, Annex VI)

LC50 Inhalation - Rat - 4 h - 3,3 mg/l - vapor

Remarks: (Lit.) (Regulation (EC) No 1272/2008, Annex VI)

LD50 Dermal - Rabbit - 840 mg/kg

Remarks: (Lit.)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (Lit.)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitisation

May cause allergic skin reaction.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
ANILINE 99 % EXTRAPURE

MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

Result: positive

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Metabolic activation: without metabolic activation

Result: negative

Remarks: (ECHA)

Test Type: Micronucleus test

Species: Rat

Cell type: Bone marrow

Application Route: Oral

Method: OECD Test Guideline 474

Result: positive

Test Type: Micronucleus test

Species: Mouse Cell type: Bone marrow

Application Route: Intraperitoneal

Method: OECD Test Guideline 475

Result: positive

Test Type: Chromosome aberration test

Species: Rat

Cell type: Bone marrow

Application Route: Oral

Method: OECD Test Guideline 475

Result: positive

Test Type: dominant lethal test

Species: Rat

Application Route: Intraperitoneal

Method: OECD Test Guideline 478

Result: negative

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

No data available(Aniline)

Specific target organ toxicity - single exposure

Causes damage to organs through prolonged or repeated exposure. - Blood

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Blood

Aspiration hazard

No data available(Aniline)

Additional Information

Endocrine disrupting properties

Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
ANILINE 99 % EXTRAPURE

MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

RTECS: BW6650000 Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Cyanosis, Headache, Vomiting, Nausea, Incoordination., fatigue, Dizziness, Drowsiness, Confusion., Weakness, Unconsciousness, Symptoms may be delayed. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information**12.1 Toxicity***Toxicity to fish*

flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 10,6 mg/l - 96,0 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

semi-static test

EC50 - Daphnia magna (Water flea) - 0,16 mg/l - 48 h (US-EPA)

Toxicity to algae

static test ErC50 - Chlorella pyrenoidosa - 175 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria

EC50 - activated sludge - 2.500 mg/l - 10 min Remarks: (Lit.)

Toxicity to fish(Chronic toxicity)

flow-through test NOEC - Pimephales promelas (fathead minnow) - 0,39 mg/l - 32 d

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)

flow-through test NOEC - Daphnia magna (Water flea) - 0,01 mg/l - 21 d (US-EPA)

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 30 d(Aniline)

Result: 90 % - Readily biodegradable
(OECD Test Guideline 301D)**12.3 Bioaccumulative potential**

Bioaccumulation

Danio rerio (zebra fish) - < 0,1 mg/l(Aniline)

Bioconcentration factor (BCF): 2,6

12.4 Mobility in soil

No data available(Aniline)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ANILINE 99 % EXTRAPURE



MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

Endocrine disrupting properties

Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1547

IMDG: 1547

IATA: 1547

14.2 UN proper shipping name

ADR/RID: ANILINE

IMDG: ANILINE

IATA: ANILINE

14.3 Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

Further information

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Aniline

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2

ACUTE TOXIC

E1

ENVIRONMENTAL HAZARDS

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
ANILINE 99 % EXTRAPURE

MSDS Number : 0053

Date : Aug 19th, 2024

Version : 1.0

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 2

Reactivity: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : August 19, 2024