



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

COPPER (II) SULPHATE PENTAHYDRATE 99% AR

PRODUCT CODE : O-5074

CAS No : 7758-99-8

FORMULA : $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$

UN No : 3077

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

COPPER (II) SULPHATE PENTAHYDRATE 99% AR



MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : COPPER (II) SULPHATE PENTAHYDRATE 99% AR
Synonyms : Blue vitriol; Copper (II) Sulfate Pentahydrate; Cupric sulfate pentahydrate
CAS No. : 7758-99-8
HS Code : 2833 25 00
Chemical Formula : $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$
Molecular Weight : 249.6 g/mol
Product Code : 0-5074
Brand : Labotiq
1.2 Manufacturer : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com,
For information : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
1.3 Application : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302
 Skin irritation (Category 2), H315
 Eye irritation (Category 2), H319
 Acute aquatic toxicity (Category 1), H400
 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H302

Harmful if swallowed.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H410

Very toxic to aquatic life with long lasting effects.

H318

Causes serious eye damage.

Precautionary statement(s)

P280

Wear eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
COPPER (II) SULPHATE PENTAHYDRATE 99% AR

MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Synonyms : Blue vitriol; Copper (II) Sulfate Pentahydrate; Cupric sulfate pentahydrate
Formula : $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$
Molecular weight : 249.6 g/mol
CAS-No. : 7758-99-8
EC-No. : 231-847-6

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Copper sulphate pentahydrate CAS-No. 7758-99-8 EC-No. 231-847-6 Index-No. 029-004-00-0	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H319, H400, H410 M- Factor - Aquatic Acute: 10	<=100 %

For the full text of the H-Statements mentioned in this Section, see Section 16

SECTION 4: First aid measures**4.1 Description of first aid measures****General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
COPPER (II) SULPHATE PENTAHYDRATE 99% AR

MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known. Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2

7.2 Conditions for safe storage, including any incompatibilities**Storage conditions**

Tightly closed. Dry. Air sensitive. hygroscopic Handle and store under inert gas.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
COPPER (II) SULPHATE PENTAHYDRATE 99% AR

MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****8.2 Exposure controls****Appropriat engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment**Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740, Size M)

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance

Form: crystalline

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

COPPER (II) SULPHATE PENTAHYDRATE 99% AR



MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

Odour	Colour: blue
Odour Threshold	No data available
pH	No data available
Melting point/freezingpoint	3.7 - 4.5 at 50 g/l at 25 °C
Initial boiling point and boiling range	Melting point/range: 110 °C - dec.
Flash point	No data available.
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	9,7 hPa at 25 °C
Relative density	No data available
Water solubility	2.284 g/cm ³
Partition coefficient: noctanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Exposure to moisture

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 300 mg/kg

Remarks: (RTECS) Acute toxicity estimate Oral - 500,1 mg/kg (Expert judgment)

Inhalation: No data available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
COPPER (II) SULPHATE PENTAHYDRATE 99% AR

MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

LD50 Dermal - Rat - > 2.000 mg/kg
Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Irritating to eyes.(Copper sulphate pentahydrate)

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow

Application Route: Oral

Result: negative

Remarks: (National Toxicology Program)

Test Type: unscheduled DNA synthesis assay

Species: Rat Cell type: Liver cells

Application Route: Oral Method: OECD Te

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Copper sulphate pentahydrate)

Specific target organ toxicity - single exposure

No data available(Copper sulphate pentahydrate)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Copper sulphate pentahydrate)

Additional Information

RTECS: GL8900000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption: drop in blood pressure tachycardia acidosis After a latency period: Metal-fume fever after inhalation of large quantities. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

COPPER (II) SULPHATE PENTAHYDRATE 99% AR



MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

12.1 Toxicity

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,032 mg/l - 96 h

Remarks: (ECOTOX Database)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available(Copper sulphate pentahydrate)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Fungicide

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3077

IMDG: 3077

IATA: 3077

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate pentahydrate)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate pentahydrate)

IATA: Environmentally hazardous substance, solid, n.o.s. (Copper sulphate pentahydrate)

14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: no

IATA: yes

14.6 Special precautions for user**Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

COPPER (II) SULPHATE PENTAHYDRATE 99% AR



MSDS Number : 0118

Date : Aug 20th, 2024

Version : 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 1

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : August 20, 2024