



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

LEAD ACETATE TRIHYDRATE 99% AR

PRODUCT CODE : O-5105

CAS No : 6080-56-4

FORMULA : $\text{C}_4\text{H}_6\text{O}_4\text{Pb} \cdot 3 \text{H}_2\text{O}$

UN No : 1616

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

LEAD ACETATE TRIHYDRATE 99% AR



MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : LEAD ACETATE TRIHYDRATE 99% AR
Synonyms : Acetic acid lead (II) salt, Lead(II) ethanoate, Plumbous acetate, Salt of Saturn, Sugar of Lead, Lead diacetate
CAS No. : 6080-56-4
HS Code : 2915 29 90
Chemical Formula : $(\text{CH}_3\text{COO})_2 \text{Pb} \cdot 3 \text{H}_2\text{O}$ $\text{C}_4\text{H}_6\text{O}_4\text{Pb} \cdot 3 \text{H}_2\text{O}$ (Hill)
Molecular Weight : 379.3 g/mol
Product Code : O-5105
Brand : Labotiq
1.2 Manufacturer : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com
For information : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
1.3 Application : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Reproductive toxicity (Category 1A), H360Df

Specific target organ toxicity - repeated exposure (Category 2), Central nervous system, Blood, Immune system, Kidney, H373

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H360Df

May damage the unborn child. Suspected of damaging fertility.

H373

May cause damage to organs (Central nervous system, Blood, Immune system, Kidney) through prolonged or repeated exposure.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

LEAD ACETATE TRIHYDRATE 99% AR



MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Plumbous acetate
Formula	: (CH ₃ COO) ₂ Pb. 3 H ₂ O C ₄ H ₆ O ₄ Pb.3 H ₂ O (Hill)
Molecular weight	: 379.3 g/mol
CAS-No.	: 6080-56-4
EC-No.	: 206-104-4
Index-No.	: 082-005-00-8

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Lead di(acetate) trihydrate CAS-No. 6080-56-4	Repr. 1A; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H360Df, H373, H400, H410 M-Factor - Aquatic Acute: 10	<=100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
LEAD ACETATE TRIHYDRATE 99% AR

MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Lead oxides, Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

LEAD ACETATE TRIHYDRATE 99% AR



MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Light sensitive. Air sensitive.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740, Size M)

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

LEAD ACETATE TRIHYDRATE 99% AR



MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: solid
Odour	Colour: White crystalline.
Odour Threshold	weakly of acetic acid.
pH	No data available
Melting point/freezingpoint	5,5 - 6,5 at 50 g/l at 20 °C
Initial boiling point and boiling range	Melting point/range: 75 °C - dec.
Flash point	Not applicable, (decomposition)
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	2,55 g/cm ³
Water solubility	443 g/l at 20 °C
Partition coefficient: noctanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	> 75 °C - Elimination of water of crystallization
Viscosity	Viscosity, kinematic: No data available
	Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	none

9.2 Other safety information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

LEAD ACETATE TRIHYDRATE 99% AR



MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Strong bases

Risk of explosion with: bromates, salts, phenol, Strong acids

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Mild steel, Iron

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 4.665 mg/kg (OECD Test Guideline 401)

Remarks: (anhydrous substance)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

Remarks: (anhydrous substance)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: Causes serious eye damage. - 4 h (OECD Test Guideline 437)

Remarks: (anhydrous substance)

Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

Remarks: (anhydrous substance)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (anhydrous substance) (ECHA)

Carcinogenicity

No data available

Reproductive toxicity

May damage the unborn child.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
LEAD ACETATE TRIHYDRATE 99% AR

MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

Positive evidence from human epidemiological studies. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Central nervous system, Blood, Immune system, Kidney
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

Additional Information

Endocrine disrupting properties

Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: OF8050000

Lead salts have been reported to cross the placenta and to induce embryo- and fetomortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death., May cause convulsions. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information**12.1 Toxicity**

No data available

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Assessment :

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

LEAD ACETATE TRIHYDRATE 99% AR



MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1616

IMDG: 1616

IATA: 1616

14.2 UN proper shipping name

ADR/RID: LEAD ACETATE

IMDG: LEAD ACETATE

IATA: LEAD ACETATE

14.3 Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Lead di(acetate) trihydrate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Lead di(acetate) trihydrate

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ENVIRONMENTAL HAZARDS

: ENVIRONMENTAL HAZARDS

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
LEAD ACETATE TRIHYDRATE 99% AR

MSDS Number : 0201

Date : Aug 20th, 2024

Version : 1.0

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**

H360Df	May damage the unborn child. Suspected of damaging fertility.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 1

Reactivity: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : August 26, 2024