



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

SILVER NITRATE 99% Extrapure

PRODUCT CODE : O-5172
CAS No : 7761-88-8
FORMULA : AgNO_3
UN No : 1493

website : www.labotiq.net

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

SILVER NITRATE 99% Extrapure



MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : SILVER NITRATE 99% Extrapure
- Synonyms** : Silver Nitrate, Lunar caustic; Silver (1+) nitrate; Nitric acid, silver (1+) salt
- CAS No.** : 7761-88-8
- HS Code** : 2843 21 00
- Chemical Formula** : AgNO₃
- Molecular Weight** : 169.87 g/mol
- Product Code** : O-5172
- Brand** : Labotiq
- 1.2 Manufacturer** : Labotiq
- Address** : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
- Website** : www.labotiq.net
- Email** : labotiq.id@gmail.com
- For information** : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
- Emergency number** : +6281316894650
- 1.3 Application** : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272
 Corrosive to Metals (Category 1), H290
 Skin corrosion (Sub-category 1B), H314
 Serious eye damage (Category 1), H318
 Short-term (acute) aquatic hazard (Category 1), H400
 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H272

May intensify fire; oxidizer.

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260

Do not breathe dusts or mists.

P273

Avoid release to the environment.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

SILVER NITRATE 99% Extrapure



MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Silver Nitrate, Lunar caustic; Silver (1+) nitrate; Nitric acid, silver (1+) salt
 Formula : AgNO₃
 Molecular weight : 169.87 g/mol
 CAS-No. : 7761-88-8
 EC-No. : 231-853-9
 Index-No. : 047-001-00-2

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Silver nitrate CAS-No. 7761-88-8 EC-No. 231-853-9 Index-No. 047-001-00-2	Ox. Sol. 2; Met. Corr. 1; Skin Corr. 1B; Aquatic Acute 1; Aquatic Chronic 1; H272, H290, H314, H400, H410 M- Factor - Aquatic Acute: 1,000 - Aquatic Chronic: 100	<=100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
SILVER NITRATE 99% Extrapure

MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO_x), Silver/silver oxides, Container explosion may occur under fire conditions. Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

SILVER NITRATE 99% Extrapure



MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Work under hood.

Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers. Tightly closed. Do not store near combustible materials.

Light sensitive.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriat engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

SILVER NITRATE 99% Extrapure



MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

Minimum layer thickness: 0.11 mm
 Break through time: 480 min
 Material tested: Dermatrill® (KCL 740, Size M)

Body Protection
 protective clothing

Respiratory protection
 required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2 The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure
 Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: solid
	Colour: colourless
Odour	odourless
Odour Threshold	Not applicable
pH	No data available
Melting point/freezing point	Melting point/range: 212 °C - dec.
Initial boiling point and boiling range	440 °C - Decomposes on heating.
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	4.350 g/cm ³
Water solubility	No data available
Partition coefficient: octanol/water	log Pow: 5
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

SILVER NITRATE 99% Extrapure



MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .
Decomposes on exposure to light.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Light.

10.5 Incompatible materials

Aluminum, Mild steel, Metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 3.804 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 0,075 mg/l - aerosol (OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Corrosive - 3 - 60 min (OECD Test Guideline 431)

(Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Causes serious eye damage. Risk of permanent damage due to staining of the cornea.

Respiratory or skin sensitisation

No data available(Silver nitrate)

Germ cell mutagenicity

Test Type: Micronucleus test

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: Positive results were obtained in some in vitro tests

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
SILVER NITRATE 99% Extrapure

MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

Reproductive toxicity

No data available(Silver nitrate)

Specific target organ toxicity - single exposure

No data available(Silver nitrate)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Silver nitrate)

Additional Information

RTECS: VW4725000

May cause argyria (a slate-gray or bluish discoloration of the skin and de silver), Absorption into the body leads to the formation of methemoglobin which in delayed 2 to 4 hours or longer.(Silver nitrate) To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Silver nitrate)

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish

semi-static test LC50 - Pimephales promelas (fathead minnow) - 0,0012 mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates

semi-static test LC50 - Daphnia magna (Water flea) - 0,00022 mg/l - 48 h

Remarks: (ECHA)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 41 d at 20 °C(Silver nitrate)

Bioconcentration factor (BCF): 70

12.4 Mobility in soil

No data available(Silver nitrate)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

SILVER NITRATE 99% Extrapure



MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1493

IMDG: 1493

IATA: 1493

14.2 UN proper shipping name

ADR/RID: SILVER NITRATE

IMDG: SILVER NITRATE

IATA: Silver nitrate

14.3 Transport hazard class(es)

ADR/RID: 5.1

IMDG: 5.1

IATA: 5.1

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
SILVER NITRATE 99% Extrapure



MSDS Number : 0315

Date : Aug 29th, 2024

Version : 1.0

Version : 1.0

Revision Date : August 29, 2024