



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

GLYCEROL 87% AR

PRODUCT CODE : B-3100

CAS No : 56-81-5

FORMULA : $C_3H_8O_3$

UN No : Not Applicable

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
GLYCEROL 87% AR

MSDS Number : 0491

Date : June 18, 2025

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : GLYCEROL 87% AR
Synonyms : 1,2,3-Propanetriol, Glycerin, Trihydroxylpropane, Protol,
CAS No. : 56-81-5
HS Code : 2905 45 00
Chemical Formula : C₃H₈O₃
Molecular Weight : 92.09 g/mol
Product Code : B-3100
Brand : Labotiq
1.2 Manufacturer : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com
For information : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
1.3 Application : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture**
Classification according to Regulation (EC) No 1272/2008
Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.
- 2.2 Label elements**
Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.
- 2.3 Other hazards**
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

- 3.1 Substances**
Synonyms : 1,2,3-Propanetriol, Glycerin, Trihydroxylpropane
Formula : (HOCH₂)₂CHOH C₃H₈O₃ Hill
Molecular weight : 92.09 g/mol
CAS-No. : 56-81-5
EC-No. : 200-289-5
- 3.2 Mixture**
Hazardous ingredients according to Regulation (EC) No 1272/2008
No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

- 4.1 Description of first aid measures**
General advice
Consult a physician. Show this safety data sheet to the doctor in attendance.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
GLYCEROL 87% AR

MSDS Number : 0491

Date : June 18, 2025

Version : 1.0

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO₂)

Dry powder Unsuitable

extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
GLYCEROL 87% AR

MSDS Number : 0491

Date : June 18, 2025

Version : 1.0

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. hygroscopic

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****8.2 Exposure controls****Appropriat engineering controls**

General industrial hygiene practice.

Personal protective equipment**Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

GLYCEROL 87% AR



MSDS Number : 0491

Date : June 18, 2025

Version : 1.0

Break through time: 480 min
Material tested: Dermatril® (KCL 740, Size M)

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Recommended Filter type: Filter A-(P2) The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: viscous
	Colour: clear
Odour	odorless
Odour Threshold	No data available
pH	ca.5 at 100 g/l at 20 °C
Melting point/freezingpoint	Melting point/range: 20 °C
Initial boiling point and boiling range	182 °C at 27 hPa
Flash point	199 °C at ca.1013,0 hPa - Pensky-Martens closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or	Upper explosion limit: 19 %(V) at 1013 hPa
explosive limits	Lower explosion limit: 2,7 %(V) at 1013 hPa
Vapour pressure	No data available
Vapour density	< 0,001 hPa at 20 °C
Relative density	3,18 - (Air = 1.0)
Water solubility	1,25 g/mL
Partition coefficient: noctanol/water	1.000 g/l at 25 °C - miscible
Auto-ignition temperature	log Pow: -1,75 at 25 °C - Bioaccumulation is not expected.
Decomposition temperature	370 °C
Viscosity	No data available
	Viscosity, kinematic: No data available
	Viscosity, dynamic: 1.412 mPa.s at 20 °C
	612 mPa.s at 30 °C
	14,8 mPa.s at 100 °C
Explosive properties	No data available
Oxidizing properties	No data available

9.2 Other safety information

Surface tension	ca.63,4 mN/m at 20 °C
Relative vapor density	3,18 - (Air = 1.0)

SECTION 10: Stability and reactivity

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
GLYCEROL 87% AR

MSDS Number : 0491

Date : June 18, 2025

Version : 1.0

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: halogens Strong oxidizing agents peroxi compounds hydrogen peroxide Nitriles perchloric acid with Lead oxides Nitric acid with sulfuric acid

Risk of ignition or formation of inflammable gases or vapours with: potassium permanganate hydrides calcium hypochlorite Fluorine with Lead oxides Exothermic reaction with: Oxides of phosphorus chromium(VI) oxide phosphorus halides Acetic anhydride with phosphorous oxichloride with Nitrobenzene

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

LD50 Oral - Rat - 27.200 mg/kg

Remarks: (ECHA) Inhalation: No data available

LD50 Dermal - Rabbit - > 10.000 mg/kg

Remarks: (External MSDS)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

GLYCEROL 87% AR



MSDS Number : 0491

Date : June 18, 2025

Version : 1.0

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: MA8050000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Kidney - Irregularities - Based on Human Evidence.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 54.000 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

Remarks: No data available (glycerine)

Toxicity to algae

Remarks: No data available (glycerine)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 2 d

Result: 90 % - Readily biodegradable.

Remarks: (ECHA)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
GLYCEROL 87% AR

MSDS Number : 0491

Date : June 18, 2025

Version : 1.0

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADR/RID: -

IMDG: -

IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA: -

14.4 Packaging group

ADR/RID: -

IMDG: -

IATA: -

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user**Further information**

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**National Fire Protection Association (U.S.A.):**

Health: 1

Flammability: 1

Reactivity: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : June 18, 2025