



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

CARBOXY METHYL CELLULOSE SODIUM SALT (MEDIUM VISCOCITY 250-350 CPS)

PRODUCT CODE : L-1210

CAS No : 9004-32-4

FORMULA : not available

UN No : Not Applicable

website : www.labotiq.net

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

CARBOXY METHYL CELLULOSE SODIUM SALT

(MEDIUM VISCOCITY 250-350 CPS)



MSDS Number : 0101

Date : June 5th, 2025

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : CARBOXY METHYL CELLULOSE SODIUM SALT
(MEDIUM VISCOCITY 250-350 CPS)
- Synonyms** : Sodium carboxymethylcellulose
- CAS No.** : 9004-32-4
- HS Code** : 3912 31 00
- Chemical Formula** : not available
- Molecular Weight** : not available
- Product Code** : L-1210
- Brand** : Labotiq
- 1.2 Manufacturer** : Labotiq
- Address** : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
- Website** : www.labotiq.net
- Email** : labotiq.id@gmail.com
- For information** : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
- Emergency number** : +6281316894650
- 1.3 Application** : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture**
Classification according to Regulation (EC) No 1272/2008
Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008
- 2.2 Label elements**
Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008
- 2.3 Other hazards**
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

- 3.1 Substances**
- Synonyms** : Sodium carboxymethylcellulose
- Formula** : not available
- Molecular weight** : not available
- CAS-No.** : 9004-32-4
- 3.2 Mixture**
No components need to be disclosed according to the applicable regulations

SECTION 4: First aid measures

- 4.1 Description of first aid measures**
- If inhaled**
After inhalation: fresh air

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
CARBOXY METHYL CELLULOSE SODIUM SALT
(MEDIUM VISCOCITY 250-350 CPS)



MSDS Number : 0101

Date : June 5th, 2025

Version : 1.0

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
CARBOXY METHYL CELLULOSE SODIUM SALT
(MEDIUM VISCOCITY 250-350 CPS)



MSDS Number : 0101

Date : June 5th, 2025

Version : 1.0

6.4 Reference to other sections

For disposal see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Appropriat engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:Dermatril®

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

CARBOXY METHYL CELLULOSE SODIUM SALT

(MEDIUM VISCOCITY 250-350 CPS)



MSDS Number : 0101

Date : June 5th, 2025

Version : 1.0

Material tested: Dermatril®

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type: Filter type P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: solid
	Colour: light yellow
Odour	odorless
Odour Threshold	No data available
pH	at 10 g/l at 20 °C neutral
Melting point/freezingpoint	Melting point: > 300,05 °C
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1,59
Water solubility	soluble
Partition coefficient: noctanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	> 250 °C -
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
CARBOXY METHYL CELLULOSE SODIUM SALT
(MEDIUM VISCOCITY 250-350 CPS)



MSDS Number : 0101

Date : June 5th, 2025

Version : 1.0

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:
strong oxidising agents

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 2.000 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 4 h - > 5,8 mg/l - dust/mist

LD50 Dermal - Rabbit - > 2.000 mg/kg

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation
(OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
CARBOXY METHYL CELLULOSE SODIUM SALT
(MEDIUM VISCOCITY 250-350 CPS)



MSDS Number : 0101

Date : June 5th, 2025

Version : 1.0

Aspiration hazard

No data available

Additional Information

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

LC50 - Danio rerio (zebra fish) - > 500 mg/l - 96 h (OECD Test Guideline 203)

12.2 Persistence and degradability

Biodegradability

(OECD Test Guideline 302B)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

Endocrine disrupting properties

Product:

Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
CARBOXY METHYL CELLULOSE SODIUM SALT
(MEDIUM VISCOCITY 250-350 CPS)



MSDS Number : 0101

Date : June 5th, 2025

Version : 1.0

14.1 UN number

ADR/RID: -

IMDG: -

IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA: -

14.4 Packaging group

ADR/RID: -

IMDG: -

IATA: -

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user**Further information**

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

National Fire Protection Association (U.S.A.):

Health: 0

Flammability: 1

Instability : 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : June 5th, 2025