



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

POTASSIUM DICHROMATE 99,9% AR

PRODUCT CODE : O-5145

CAS No : 7778-50-9

FORMULA : $\text{K}_2\text{Cr}_2\text{O}_7$

UN No : 3086

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM DICHROMATE 99,9% AR



MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : POTASSIUM DICHROMATE 99,9% AR
- Synonyms** : Bichromate of potash; Dipotassium Dichromate; Potassium bichromate; Potassium dichromate (VI)
- CAS No.** : 7778-50-9
- HS Code** : 2841 50 90
- Chemical Formula** : $K_2Cr_2O_7$
- Molecular Weight** : 294.19 g/mol
- Product Code** : O-5145
- Brand** : Labotiq
- 1.2 Manufacturer** : Labotiq
- Address** : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
- Website** : www.labotiq.net
- Email** : labotiq.id@gmail.com
- For information** : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
- Emergency number** : +6281316894650
- 1.3 Application** : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 4), H312

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 1B), H360FD

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Cardio-vascular system, H372

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM DICHROMATE 99,9% AR



MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

Signal word	Danger
Hazard statement(s)	
H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs (Cardio-vascular system) through prolonged or repeated exposure if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Dipotassium Dichromate
Formula	: $K_2Cr_2O_7$
Molecular weight	: 294.19 g/mol
CAS-No.	: 7778-50-9
EC-No.	: 231-906-6
Index-No.	: 024-002-00-6

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM DICHROMATE 99,9% AR



MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

Component	Classification	Concentration
Potassium dichromate CAS-No. 7778-50-9 EC-No. 231-906-6 Index-No. 024-002-00-6	Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Corr. 1B; Resp. Sens. 1; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H301, H330, H312, H314, H334, H317, H340, H350, H360FD, H372, H400, H410 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10	<=100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately..

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM DICHROMATE 99,9% AR



MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Potassium oxides, Chromium oxides, Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM DICHROMATE 99,9% AR



MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriat engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740, Size M)

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM DICHROMATE 99,9% AR



MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

Control of environmental exposure
Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: crystalline
	Colour: orange
Odour	No data available
Odour Threshold	Not applicable
pH	3.5 - 5.0 at 29.4 g/l at 25 °C
Melting point/freezingpoint	Melting point/range: 398 °C - lit.
Initial boiling point and boiling range	> 500 °C at 1.013 hPa - Decomposition
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Density	ca.2,680 g/cm ³ at 20 °C - OECD Test Guideline 109
Relative density	ca.2,7 at 20 °C - OECD Test Guideline 109
Water solubility	ca.29.4 g/l at 20 °C
Partition coefficient: noctanol/water	Not applicable for inorganic substances
Auto-ignition temperature	does not ignite
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.

9.2 Other safety information

Bulk density	1.8 g/l
--------------	---------

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion with:

Iron, magnesium, hydrazine and derivatives, hydroxylamine, ammonium nitrate, Boron, Acetic anhydride, oxidisable substances, Reducing agents, sulfuric acid, silicon, Exothermic reaction with: anhydrides, phosphides, Sulfides, nitrides, Fluorine

Risk of ignition or formation of inflammable gases or vapours with:

organic combustible substances, glycerol, Powdered metals, hydrides, alkali compounds, Acetone, with sulfuric acid

Generates dangerous gases or fumes in contact with: hydrochloric acid

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM DICHROMATE 99,9% AR



MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

10.4 Conditions to avoid

Exposure to moisture Heat

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 90,5 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - female - 4 h - 0,083 mg/l (OECD Test Guideline 403)

Acute toxicity estimate Dermal - Expert judgment - 1.100 mg/kg

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Patch test: - Human

Result: positive

Remarks: (IUCLID)

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

No data available

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Cardiovascular system

Aspiration hazard

No data available

Additional Information

RTECS: HX7680000

Ulceration, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
POTASSIUM DICHROMATE 99,9% AR

MSDS Number : 0279

Date : Aug 28th, 2024

Version : 1.0

SECTION 12: Ecological information**12.1 Toxicity***Toxicity to fish*

LC50 - Danio rerio (zebra fish) - 58,5 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0,035 mg/l - 48 h Remarks: (ECHA)

Toxicity to algae

static test ErC50 - Selenastrum capricornutum (green algae) - 0,233 mg/l - 72 h

Remarks: (ECHA)

Toxicity to bacteria

IC50 - activated sludge - 30 mg/l - 3 h Remarks: (in analogy to similar products) (ECHA)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances

12.3 Bioaccumulative potential

Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 180 d - 200 µg/l (potassium dichromate)

Bioconcentration factor (BCF): 17,4

12.4 Mobility in soil

No data available (Potassium dichromate)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADR/RID: 3086

IMDG: 3086

IATA: 3086

14.2 UN proper shipping name

ADR/RID: (Potassium dichromate)

No: F/QCL/002 Rev.00

IMDG: TOXIC SOLID, OXIDIZING, N.O.S. (Potassium dichromate)

IATA: Toxic solid, oxidizing, n.o.s. (Potassium dichromate)

14.3 Transport hazard class(es)

ADR/RID: 6.1 (5.1)

IMDG: 6.1 (5.1)

IATA: 6.1 (5.1)

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

14.6 Special precautions for user

Further information

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

National Fire Protection Association (U.S.A.):

Health: 4

Flammability: 0

Reactivity: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : August 28, 2024