



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

POTASSIUM IODATE 99% Extrapure

PRODUCT CODE : O-5247

CAS No : 7758-05-6

FORMULA : KIO_3

UN No : 1479

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM IODATE 99% EXTRAPURE



MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : POTASSIUM IODATE 99% EXTRAPURE
- Synonyms** : -
- CAS No.** : 7758-05-6
- HS Code** : 2829 90 10
- Chemical Formula** : KIO_3
- Molecular Weight** : 214 g/mol
- Product Code** : O-5247
- Brand** : Labotiq
- 1.2 Manufacturer** : Labotiq
- Address** : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
- Website** : www.labotiq.net
- Email** : labotiq.id@gmail.com,
- For information** : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
- Emergency number** : +6281316894650
- 1.3 Application** : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H272

May intensify fire; oxidiser.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

Precautionary statement(s)

P210

Keep away from heat.

P220

Keep/Store away from clothing/ combustible materials.

P221

Take any precaution to avoid mixing with combustibles.

P261

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264

Wash skin thoroughly after handling.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM IODATE 99% EXTRAPURE



MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/ physician if you feel unwell.
P321	Specific treatment (see supplemental first aid instructions on this label).
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard Statements none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: POTASSIUM IODATE
Formula	: KIO ₃
Molecular weight	: 214.0 g/mol
CAS-No.	: 7758-05-6
EC-No.	: 231-831-9

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Potassium iodate CAS-No. 7758-05-6 EC-No. 231-831-9	Ox. Sol. 2; Acute Tox. 4; Eye Dam. 1; H272, H302, H318	<=100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
POTASSIUM IODATE 99% EXTRAPURE

MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

4.1 Description of first aid measures**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen iodide, Potassium oxides, Not combustible.

Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM IODATE 99% EXTRAPURE



MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Do not store near combustible materials.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM IODATE 99% EXTRAPURE



MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

Full contact

Material: Nitrile rubber
 Minimum layer thickness: 0.11 mm
 Break through time: 480 min
 Material tested: Dermatrill® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber
 Minimum layer thickness: 0.11 mm
 Break through time: 480 min
 Material tested: Dermatrill® (KCL 740, Size M)

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
 Recommended Filter type: Filter type P2
 The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: solid
	Colour: white
Odour	odorless
Odour Threshold	Not applicable
pH	ca.6 at 50 g/l at 20 °C
Melting point/freezingpoint	Melting point/range: 560 °C - lit.
Initial boiling point and boiling range	Not applicable
Flash point	does not flash
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive limits	Not applicable
Vapour pressure	No data available
Vapour density	No data available
Relative density	3.93 g/cm ³ at 25 °C
Water solubility	70 g/l at 25 °C
Partition coefficient: noctanol/water	log Pow: -1 at 25 °C - Bioaccumulation is not expected.
Auto-ignition temperature	does not ignite
Decomposition temperature	> 560 °C -
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM IODATE 99% EXTRAPURE



MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Heat of solution is very high, and with limited amounts of water, violent boiling may occur Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion with: oxidisable substances, combustible substances, Powdered metals Sulfides, phosphorus, sulfur Alkali metals, hydrides, Cyanides, arsenic, carbon/soot, Alkaline earth metals, powdered aluminium, metallic oxides, Isocyanates, Reducing agents Exothermic reaction with: Organic Substances

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 500,1 mg/kg (Expert judgment)

Acute toxicity estimate Oral - 500,1 mg/kg (Expert judgment)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Symptoms: Possible damages:, mucosal irritations

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Remarks: Risk of permanent damage due to staining of the cornea.

Respiratory or skin sensitisation

Sensitisation possible in predisposed persons.

Germ cell mutagenicity

Test Type: Ames test

Result: negative

Remarks: (Lit.)

Test Type: Mutagenicity (mammal cell test): micronucleus.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
POTASSIUM IODATE 99% EXTRAPURE

MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

Metabolic activation: without metabolic activation
Method: OECD Test Guideline 487
Result: negative
Test Type: In vitro mammalian cell gene mutation test
Test system: Mouse lymphoma test
Metabolic activation: without metabolic activation
Method: OECD Test Guideline 476
Result: negative
Result: negative
Remarks: (Lit.)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Potassium iodate)

Additional Information

RTECS: NN1350000

Nausea, Vomiting, Diarrhea, Rash To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption: Stomach/intestinal disorders collapse respiratory arrest Cyanosis Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to daphnia and other aquatic invertebrates
EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM IODATE 99% EXTRAPURE



MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADR/RID: 1479

IMDG: 1479

IATA: 1479

14.2 UN proper shipping name

ADR/RID: OXIDIZING SOLID, N.O.S. (Potassium iodate)

IMDG: OXIDIZING SOLID, N.O.S. (Potassium iodate)

IATA: Oxidizing solid, n.o.s. (Potassium iodate)

14.3 Transport hazard class(es)

ADR/RID: 5.1

IMDG: 5.1

IATA: 5.1

14.4 Packaging group

ADR/RID: I I

IMDG: I I

IATA: II

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 2

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM IODATE 99% EXTRAPURE



MSDS Number : 0441

Date : June 25, 2025

Version : 1.0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : June 25, 2025