



Preparing for the New Era of Laboratories

SAFETY DATA SHEET (SDS)

According to regulation (EU) no.1907/2006

DI-LITHIUM TETRABORATE 99% AR

PRODUCT CODE : O-5077

CAS No : 12007-60-2

FORMULA : $\text{Li}_2\text{B}_4\text{O}_7$

UN No : not applicable

website : www.labotiq.net

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : DI-LITHIUM TETRABORATE 99% AR
- Synonyms** : Boron lithium oxide
- CAS No.** : 12007-60-2
- HS Code** : 28402090
- Chemical Formula** : $\text{Li}_2\text{B}_4\text{O}_7$
- Molecular Weight** : 169,12 g/mol
- Product Code** : O-5077
- Brand** : Labotiq
- 1.2 Manufacturer** : Labotiq
- Address** : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
- Website** : www.labotiq.net
- Email** : labotiq.id@gmail.com
- For information** : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
- Emergency number** : +6281316894650
- 1.3 Application** : Laboratory chemicals, Manufacture of substances

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

- | | |
|-------------------------------------|--|
| Acute toxicity, (Category 4) | H302: Harmful if swallowed. |
| Serious eye damage, (Category 1) | H318: Causes serious eye damage. |
| Reproductive toxicity, (Category 2) | H361fd: Suspected of damaging fertility.
Suspected of damaging the unborn child |

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H302

Harmful if swallowed.

H318

Causes serious eye damage.

H361fd

Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statement(s)

P202

Do not handle until all safety precautions have been read and understood.

P264

Wash skin thoroughly after handling.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H318

Causes serious eye damage.

H361fd

Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements

P202

Do not handle until all safety precautions have been read and understood.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: dilithium tetraborate
Formula	: $\text{Li}_2\text{B}_4\text{O}_7$
Molecular weight	: 169,12 g/mol
CAS-No.	: 12007-60-2

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
dilithium tetraborate CAS-No. 12007-60-2 EC-No. 234-514-3	Acute Tox. 4; Eye Dam. 1; Repr. 2; H302, H318, H361fd	<=100 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician..

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Borane/boron oxides

Lithium oxides

Not combustible.

Fire may cause evolution of:
boron compounds

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure control

Appropriat engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber
Minimum layer thickness: 0.11 mm
Break through time: 480 min
Material tested: Dermatrill® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber
Minimum layer thickness: 0.11 mm
Break through time: 480 min
Material tested: Dermatrill® (KCL 740, Size M)

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.
Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: solid
	Colour: white
Odour	stinging
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/ range: 917 °C
Initial boiling point and boiling range	No data available
Flash point	No data available

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or	No data available
explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Partition coefficient: noctanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	none

9.2 Other safety information

Bulk density	ca.330 kg/m ³
Surface tension	63,4 - 71,6 mN/m at 1g/l at 20 °C - OECD Test Guideline 115

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents Strong acids

10.4 Conditions to avoid

Avoid moisture. no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 500 mg/kg (OECD Test Guideline 423)

Acute toxicity estimate Oral - 500 mg/kg (Calculation method)

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation - 15 min (OECD Test Guideline 439)

SAFETY DATA SHEET (SDS)
DI-LITHIUM TETRABORATE 99% AR

SDS Number : 0130

Date : November 20, 2025

Version : 1.0

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. - 1 h (OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Endocrine disrupting properties

Product:

Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, and erythematous lesions on the skin and mucous membranes. Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma. Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams. Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately. The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance. The following

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 - Cyprinus carpio (Carp) - > 100 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata - > 100 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Endocrine disrupting properties

Product:

Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: -

IMDG: -

IATA: -

14.2 UN proper shipping name

ADR/RID: AMMONIA SOLUTION

IMDG: AMMONIA SOLUTION

IATA: AMMONIA SOLUTION

SAFETY DATA SHEET (SDS)

DI-LITHIUM TETRABORATE 99% AR



SDS Number : 0130

Date : November 20, 2025

Version : 1.0

14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA: -

14.4 Packaging group

ADR/RID: -

IMDG: -

IATA: -

14.5 Environmental hazards

ADR/RID: -

IMDG Marine pollutant: no

IATA: -

14.6 Special precautions for user**Further information**

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 2

Reactivity: 1

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : November 20, 2025