



Preparing for the New Era of Laboratories

SAFETY DATA SHEET (SDS)

According to regulation (EU) no.1907/2006

ALUMINIUM FLOURIDE LR

PRODUCT CODE : O-5282

CAS No : 7784-18-1

FORMULA : $\text{AlF}_3\cdot\text{Aq}$

UN No : not applicable

SAFETY DATA SHEET (SDS)

ALUMINIUM FLOURIDE LR



SDS Number : 0586

Date : March 26, 2026

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : ALUMINIUM FLOURIDE LR
- Synonyms** : -
- CAS No.** : 7784-18-1
- HS Code** : 28261200
- Chemical Formula** : $\text{AlF}_3\text{.Aq}$
- Molecular Weight** : 83,98 g/mol
- Product Code** : O-5282
- Brand** : Labotiq
- 1.2 Manufacturer** : Labotiq
- Address** : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
- Website** : www.labotiq.net
- Email** : labotiq.id@gmail.com
- For information** : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
- Emergency number** : +6281316894650
- 1.3 Application** : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

- Synonyms** : Aluminium fluoride
- Formula** : $\text{AlF}_3\text{.Aq}$
- Molecular weight** : 83,98 g/mol
- CAS-No.** : 7784-18-1
- EC-No.** : 232-051-1

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

SAFETY DATA SHEET (SDS)

ALUMINIUM FLOURIDE LR



SDS Number : 0586

Date : March 26, 2026

Version : 1.0

Component	Classification	Concentration
Aluminium fluoride CAS-No. 7784-18-1 EC-No. 232-051-1	-	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

If inhaled

After inhalation: fresh air.

In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

SAFETY DATA SHEET (SDS)

ALUMINIUM FLOURIDE LR



SDS Number : 0586

Date : March 26, 2026

Version : 1.0

5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride, Aluminum oxide

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions
Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Personal protective equipment

SAFETY DATA SHEET (SDS)

ALUMINIUM FLOURIDE LR



SDS Number : 0586

Date : March 26, 2026

Version : 1.0

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Fluorinated rubber
Minimum layer thickness: 0,11 mm
Break through time: 480 min
Material tested: Dermatril®

Splash contact

Material: Nitrile rubber
Minimum layer thickness: 0,11 mm
Break through time: 480 min
Material tested: Dermatril®

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: powder
Odour	odorless
Odour Threshold	No data available
pH	5,9 at 20 °C
Melting point/freezingpoint	Melting point/ range: 1.290 °C
Initial boiling point and boiling range	ca.1.537 °C
Flash point	Not applicable
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Density	3,1 g/cm ³ at 25 °C - lit.

SAFETY DATA SHEET (SDS)

ALUMINIUM FLOURIDE LR



SDS Number : 0586

Date : March 26, 2026

Version : 1.0

Relative density	No data available
Water solubility	0,0053 g/l at 20 °C
Partition coefficient: noctanol/water	No data available
Auto-ignition temperature	Not applicable
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	Not explosive
Oxidizing properties	The substance or mixture is not classified as oxidizing.

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

acids, Sodium/sodium oxides, Potassium

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 2.000 mg/kg (Fixed Dose Method)

LC50 Inhalation - Rat - 4 h - > 0,53 mg/l - dust/mist (OECD Test Guideline 403)

Remarks: No adverse effect has been observed in acute toxicity tests.

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

in vivo assay - Mouse

Result: Did not cause sensitization on laboratory animals. (OECD Test Guideline 429)

SAFETY DATA SHEET (SDS)

ALUMINIUM FLOURIDE LR



SDS Number : 0586

Date : March 26, 2026

Version : 1.0

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: BD0725000 Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Salivation, Nausea, Vomiting, Fever

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

LC50 - Danio rerio (zebra fish) - > 10 mg/l - 96 h (OECD Test Guideline 203)

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates

LC50 - Daphnia magna (Water flea) - > 10 mg/l - 48 h (OECD Test Guideline 202)

Remarks: No toxicity at the limit of solubility.)

Toxicity to algae

LC50 - Chlorella vulgaris (Fresh water algae) - 8,4 mg/l - 3 d

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

SAFETY DATA SHEET (SDS)

ALUMINIUM FLOURIDE LR



SDS Number : 0586

Date : March 26, 2026

Version : 1.0

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: -

IMDG: -

IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

Passenger Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA: -

14.4 Packaging group

ADR/RID: -

IMDG: -

IATA: -

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

Further information

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

**SAFETY DATA SHEET (SDS)
ALUMINIUM FLOURIDE LR**

SDS Number : 0586

Date : March 26, 2026

Version : 1.0

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : March 26, 2026